

Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
231A0230*	52	34	34
231A0240*	52	34	34
231A0250*	52	34	34
231A0260*	52	34	34
231A0270*	52	34	34
231A0280*	52	34	34
232A0220*	59	19	19
232A0240*	59	19	19
232A0260*	59	19	19
232A0270*	59	19	19
232A0280*	59	19	19
232A0320*	63	25	25
232A0360*	63	25	25
232A0380*	63	25	25
232A0420*	68	30	30
232A0440*	68	30	30
232A0460*	68	30	30
232A0480*	68	30	30
232F0220*	69	19	19
232F0240*	69	19	19
232F0260*	69	19	19
232F0280*	69	19	19
233GX220*	24	14	14
233GX240*	24	14	14
233GX260*	24	14	14
281A0211*	49	22	22
281A0221*	49	22	22
281A0311*	58	27	27
281A0321*	58	27	27
281A0411*	64	30	30
281A0421*	64	30	30
281A0511*	76	30	30
281A0611*	100	41	41
281A0911*	130	70	70
A			
ABS-03	375	705	375
ABS-20	500	35	35
ABS-202	2000	35	35
AS-009	66	29	66
AS-012	66	16	66
B			
B042-02HC*	42	207	42
B050-03HC*	63	239	52

Artikel Nr.	Länge	Höhe	Tiefe
B052-04HC*	63	239	52
B075-04HC*	75	276	63
B080-06HC*	137	276	137
B095-08HC*	115	411	115
BL1	240	90	55
BS5	255	60	45
C			
C242-02HC*	84	207	42
C250-03HC*	126	239	52
C252-04HC*	126	239	52
C275-04HC*	151	276	63
C280-06HC*	226	276	137
C295-08HC*	225	411	115
C342-02HC*	126	207	42
C350-03HC*	188	239	52
C352-04HC*	188	239	52
C375-04HC*	226	276	63
C380-06HC*	290	276	137
C395-08HC*	335	411	115
Coolmaster	480	990	320
D			
DR1	40	25	17
E			
EBE2	380	525	335
EBE3	305	870	395
F			
F052-04A*	52	174	52
F075-04A*	63	204	63
F042-02H*	42	146	42
F050-03H*	52	174	52
F052-04H*	52	174	52
F075-04H*	63	204	63
F080-06H*	137	204	137
F095-08H*	95	284	115
G			
GA5-S1	180	68	40
GB2-3	215	70	42
GB3-3	205	80	40
GB4-3	185	160	44
GB5-4	210	160	44
GB6-3	170	155	45
GB7-4	210	155	45
GB7-4-HS	210	155	45
GF5	295	140	50
GH1	160	16	16



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
GH100	1140 / 1990	650	550
GH2-10	175	180	48
GH2-10R	175	180	48
GH2-10S1	175	180	48
GH3-10	190	180	48
GH3-10R	190	180	48
GH3-10S1	190	180	48
GH4	200	160	50
GH4-S	200	160	50
GH4-S1	200	160	50
GH5	180	145	50
GH5-S	180	145	50
GH10	380	175	70
GH53-S1	255	145	50
GH54	390	160	70
GH6	115	90	60
GH6A-4A	38	38	15
GH6A-4H	38	38	15
GH6A-4M	38	38	15
GH6A-4S	38	38	15
GH6A-4SS	38	38	15
GH6A-4ST	38	38	15
GN4	290	75	38
GN5	340	70	45
GN6	330	170	45
GN6-03	330	170	45
GN7	450	200	65
GN8	460	85	40
GS2	290	70	40
GS3	295	60	38
GS4	185	70	45
GS5	370	85	40
GS50	260	60	35
K			
KAR15	390	300	130
KAR6	300	210	110
KK15I10050H	840	410	770
KK2I111100H3P	970	485	890
KK25I11270V3P	835	600	1950
KK26D10060V	880	530	400
KK6D8024H	585	280	585
KT7216	480	375	500
P			
PB1	115	15	12

Artikel Nr.	Länge	Höhe	Tiefe
PB10	145	140	34
PB2-100	195	170	19
PB2-100SD	165	145	22
PB2-125SD	240	190	22
PB2-250	350	295	19
PB2-300	400	365	19
PB2-500	560	500	19
PB5	160	135	17
PC18	200	280	66
PF2	350	325	54
PK1	300	145	60
PL1	110	245	65
PL1-01	110	245	65
PL1-02	110	245	65
PL2	145	340	100
PL2-01	145	340	100
PL2-02	145	340	100
PL2-03	145	340	100
PL2-04	145	340	100
PN1	240	285	84
PN3	310	305	105
PN103A	305	315	91
PN123A	310	360	110
PN703	270	370	91
PN903	260	300	110
PR1	120	200	30
PR2	150	235	38
PR2-2	150	235	38
PR3	235	100	75
PSG1	530	300	250
PU1	210	270	40
PU2	300	260	100
R			
R042-02C*	42	102	42
R050-03C*	63	129	52
R052-04C*	63	129	52
R075-04C*	63	145	63
R080-06C*	137	145	63
R095-08C*	115	222	95
R13-02D*	34	17	17
R13-02E*	34	17	17
R13-02F*	34	17	17
R13-02F*	34	17	17
R13-02G*	34	17	17



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
R13-02H*	34	17	17
R13-02H*	34	17	17
R13-02I*	34	17	17
R13-02K*	34	17	17
R13-02M*	34	17	17
RH60	60	20	66
S			
SA1	160	75	35
SA2	180	77	40
SA3	180	75	35
SA4	200	77	40
SA14	170	95	48
SA16	180	95	48
SAR12	390	300	130
SAR15	400	330	175
SAR15S-13	500	490	150
SAR15S	450	430	150
SAR20	350	280	375
SAR25	280	240	280
SAR6	300	210	110
SB1	315	70	90
SB1M	385	70	90
SB1L	455	70	90
SB2	390	100	100
SD10-2	190	26	16
SD11-2	190	26	16
SD12-2	210	27	17
SD13-2	210	27	17
SD14-2	190	26	16
SD15-2	240	30	20
SD16-2	210	27	17
SD17-2	240	30	20
SD18-2	240	30	20
SD20-2	230	30	16
SD21-2	230	30	16
SD22-2	250	32	17
SD23-2	250	32	17
SD24-2	230	30	16
SD26-2	250	32	17
SD5-2	270	145	40
SE1	225	100	150
SE11	205	95	150
SE12	205	95	150
SE14	165	95	85

Artikel Nr.	Länge	Höhe	Tiefe
SE150	310	120	150
SE2	225	100	150
SE200	310	120	200
SE3	265	130	150
SE4	185	100	85
SG1	130	17	17
SG2	155	55	40
SG4	180	70	42
SG5	260	60	45
SG6	225	86	42
SG7	340	60	45
SG8	440	60	45
SG14	190	80	48
SG16	200	80	48
SG20	170	60	45
SG21	215	60	45
SK070-3A	185	185	60
SK140-4A	215	190	55
SK150-4A	240	195	65
SK160-4	180	195	60
SK170-4	205	200	70
SK68130003P	840	700	1085
SK68135003P	2000	750	1650
SL025-2D	160	160	50
SL050-2R	130	170	50
SL075-3R	145	85	42
SL085-3S	120	190	60
SL085-4S	120	190	60
SL088-3S	110	190	60
SL088-4S	110	190	60
SL100-4T	185	185	70
SL120-4P	190	200	63
SL125-4P	200	185	65
SL135-3T	155	190	55
SL145-4T	155	190	55
SL146-2T	158	190	55
SL150-4P	190	200	65
SL150-4PD	190	200	65
SL155-4T	185	200	65
SL165-3T	160	170	58
SL170-4T	160	170	58
SL175-4T/-6T	195	180	68
SL175-4TD	195	180	68



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
SL180-4T	160	180	80
SL185-4Ti	195	180	68
SL185-4TiD	195	180	68
SL225-6P	260	225	77
SL226-6P	310	225	77
SL250-6T	235	230	85
SL251-6T	355	230	85
SL275-6T	220	195	83
SL276-6T	370	195	83
SL300-8C	275	270	210
SL301-8C	390	270	210
SL310-8C	440	180	190
SL311-8C	520	180	190
SL325-8C	240	235	180
SL330-8T	250	260	110
SL340-8T	545	190	110
SL341-8T	395	190	110
SL350-8T	520	175	185
SL351-8T	370	175	185
SL360-8C	625	170	220
SL361-8C	455	170	220
SL375-8T	235	195	83
SL380-8T	210	210	75
SL400-12C	515	170	220
SP-221	290	170	70
SP1	140	210	150
SP2	150	135	75
SP3	220	165	150
SP4	160	135	75
SP5	145	135	75
SP6	360	120	175
SR1-2	140	50	30
SR1-3	140	50	30
SR2-2	180	50	35
SR2-3	180	50	35
SR3-2	150	50	35
SR3-3	150	50	35
SR4-3	260	60	48
SR4-4	260	60	48
SR6-3	270	50	48
SR6-4	270	50	48
SR7-4	360	50	50
SR8-3	315	50	50

Artikel Nr.	Länge	Höhe	Tiefe
SR8-4	315	50	50
SR9-4	265	65	45
SW1	145	90	70
SW10	340	140	250
SW2	190	95	80
Artikel Nr.	Länge	Höhe	Tiefe
SW3	370	65	120
SW4	205	100	220
SW5	230	100	220
SW9	320	210	245
V			
VAAK-02	43	27	22
VAAK-02S2	84	32	26
VAAK-03	43	27	22
VAAK-03S2	84	32	26
VAAK-04S	43	27	22
VAAK-04S2	84	32	26
VABK-02	43	27	22
VABK-02S2	80	32	26
VABK-03	43	27	22
VABK-03S2	80	32	26
VABK-04	43	27	22
VABK-04S2	80	32	26
VAC-06*	60	27	21
VAC-06S2	87	32	32
VAC-08S2	87	32	32
VAC-08SS	66	22	19
VAC-09S2	87	32	32
VAC-10S2	92	32	32
VAC-13*	60	27	21
VAC-13S2	92	32	32
VBAK-02	33	17	17
VBAK-02S	33	17	17
VBAK-03	33	19	19
VBAK-04	38	22	22
VBBK-02	33	17	17
VBBK-02S	33	17	17
VBBK-03	33	19	19
VBBK-04	38	22	22
VBC-06*	48	11	11
VBC-08SS	45	19	19
VBC-09*	48	11	11
VBC-09S	48	11	11
VBC-13*	48	11	11



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
VBC-13S	48	11	11
VCK-02-06	33	6	17
VCK-02-09	36	9	17
VCK-02-13	42	13	17
VCK-03-09	36	9	17
VCK-03-13	42	13	19
VCK-04-09	40	9	24
VCK-04-13	46	13	24
VDK2-03	56	57	33
VDK2-04	67	85	33
VDK3-03	85	59	50
VDK3-04	85	59	50
W			
WH135	505	130	235
WH300	640	160	350
WP15F	900	1880	600
WP30F	1150	1980	600
WP50F	1250	2200	700
WSK-20K	4233	2470	1185
WSK-30K	4233	3370	1705
WSK-40K	4233	4370	2285
WSK-20M	4230	2385	1250
WSK-30M	4230	3385	1700
WSK-35M	4230	3885	2000
WSK-40M	4230	4385	2280
Z			
ZB-10	250	19	19
ZB-10K	125	19	19
ZB-10M	180	19	19
ZB-10-11	250	19	19
ZB-10-11M	180	19	19
ZB-10-12	250	19	19
ZB-10R	250	19	19
ZB-18/5	93	12,5	0,5
ZB-20	250	20	20
ZB-20GM	180	20	20
ZB-20G-11M	180	20	20
ZB-20K	125	20	20
ZB-20M	180	20	20
ZB-20-11	250	20	20
ZB-20-11M	180	20	20
ZB-20-12	250	20	20
ZB-20-600	600	20	20

Artikel Nr.	Länge	Höhe	Tiefe
ZB-20R	250	20	20
ZB-24/5	93	12,5	0,5
ZB-3	45	30	30
ZB-30	250	30	30
ZB-30-11	250	30	30
ZB-30-12	250	30	30
ZB-30R	250	30	30
ZB-32/5	93	12,5	0,5
ZB-4	56	41	41
ZB-40	250	40	40
ZB-40-11	250	40	40
ZB-40R	250	40	40
ZB-50	250	50	50
ZB-50-11	250	50	50
ZB-50R	250	50	50
ZB-BTK	125	25	25
ZB-BTM	180	25	25
ZB-BT-11M	180	25	25
ZB-EK	125	20	20
ZB-F6	40	6	6
ZB-F8	40	8	8
ZB-G8	45	12	12
ZB-H	250	27	27
ZB-H-11	250	27	27
ZB-H1	50	35	35
ZB-H1A	50	38	38
ZB-H2	70	43	43
ZB-H3	75	49	49
ZB-HF	46	50	50
ZB-HF1	56	55	55
ZB-HF2	47	56	56
ZB-HR	250	27	27
ZB-KTM	175	20	20
ZB-KT-11M	175	20	20
ZB-M1	130	20	100
ZB-M1R	130	20	100
ZB-M2	185	20	100
ZB-M2R	185	20	100
ZB-M3	185	20	100
ZB-MS1	50	20	30
ZB-N1	42	12	2
ZB-N2	42	12	2
ZB-N3	42	12	2
ZB-P	115	39	39
ZB-S3	52	39	39



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
ZB-S4	60	40	40
ZB-T1	10	50	50
ZB-T1/5	10	50	50
ZB-T2	2	75	75
ZB-T2/5	2	75	75
ZB-T3	1	105	105
ZB-T4	10	50	50
ZB-T4/5	10	50	50
ZB-T6	4	105	105
ZB-T6/10	4	105	105
ZL-2	54	33	33
ZL-3	71	43	43
ZL-L	100	230	60
ZL-P1SF90	110	145	38
ZL-P1	110	145	38
ZL-SF90	40	130	60
ZL-SF400	54	237	54
ZL-S	100	230	60
ZN-06-03K	32	10,8	10,8
ZN-06-03L	63	10,8	10,8
ZN-07-03K	32	12,1	12,1
ZN-07-03L	63	12,1	12,1
ZN-08-03K	32	13,5	13,5
ZN-08-03L	63	13,5	13,5
ZN-08-04K	38	14,6	14,6
ZN-08-04L	78	14,6	14,6
ZN-09-03K	32	14,6	14,6
ZN-09-03L	63	14,6	14,6
ZN-09-04K	38	15,8	15,8
ZN-09-04L	78	15,8	15,8
ZN-10-03K	32	15,9	15,9
ZN-10-03L	63	15,9	15,9
ZN-10-04K	38	17,1	17,1
ZN-10-04L	78	17,1	17,1
ZN-11-03K	32	17,2	17,2
ZN-11-03L	63	17,2	17,2
ZN-11-04K	38	18,4	18,4
ZN-11-04L	78	18,4	18,4
ZN-12-03K	32	18,4	18,4
ZN-12-03L	63	18,4	18,4
ZN-12-04K	38	19,6	19,6
ZN-12-04L	78	19,6	19,6
ZN-13-03K	32	19,6	19,6
ZN-13-03L	63	19,6	19,6

Artikel Nr.	Länge	Höhe	Tiefe
ZN-13-04K	38	20,8	20,8
ZN-13-04L	78	20,8	20,8
ZN-14-03K	32	20,9	20,9
ZN-14-03L	63	20,9	20,9
ZN-14-04K	38	22,1	22,1
ZN-14-04L	78	22,1	22,1
ZN-15-03K	32	22	22
ZN-15-03L	63	22	22
ZN-15-04K	38	23,3	23,3
ZN-15-04L	78	23,3	23,3
ZN-16-03K	32	23,4	23,4
ZN-16-03L	63	23,4	23,4
ZN-16-04K	38	24,6	24,6
ZN-16-04L	78	24,6	24,6
ZN-17-03K	32	24,6	24,6
ZN-17-03L	63	24,6	24,6
ZN-17-04K	38	25,8	25,8
ZN-17-04L	78	25,8	25,8
ZN-17-06K	50	30	30
ZN-17-06L	90	30	30
ZN-18-03K	32	25,9	25,9
ZN-18-03L	63	25,9	25,9
ZN-18-04K	38	27,1	27,1
ZN-18-04L	78	27,1	27,1
ZN-19-03K	32	27,1	27,1
ZN-19-03L	63	27,1	27,1
ZN-19-04K	38	28,3	28,3
ZN-19-04L	78	28,3	28,3
ZN-19-06K	50	32	32
ZN-19-06L	90	33	33
ZN-19-08K	58	35,6	35,6
ZN-19-08L	90	35,6	35,6
ZN-20-03K	32	28,7	28,7
ZN-20-03L	63	28,7	28,7
ZN-20-04K	38	29,5	29,5
ZN-20-04L	78	29,5	29,5
ZN-21-03K	32	30,3	30,3
ZN-21-03L	63	30,3	30,3
ZN-21-04K	38	30,8	30,8
ZN-21-04L	78	30,8	30,8
ZN-21-06K	50	34	34
ZN-21-06L	90	21	21
ZN-21-08K	58	38,1	38,1
ZN-21-08L	90	38,1	38,1



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
ZN-22-03K	32	31,6	31,6
ZN-22-03L	63	31,6	31,6
ZN-22-04K	38	32,3	32,3
ZN-22-04L	78	32,3	32,3
ZN-22-06K	50	35	35
ZN-22-06L	90	37	37
ZN-23-04K	43	33,3	33,3
ZN-23-04L	78	33,3	33,3
ZN-23-06K	50	36	36
ZN-23-06L	90	38	38
ZN-23-08K	58	40,6	40,6
ZN-23-08L	90	40,6	40,6
ZN-24-04K	30	34,6	34,6
ZN-24-04L	78	34,6	34,6
ZN-24-06K	50	38	38
ZN-24-06L	90	39	39
ZN-24-08K	58	41,9	41,9
ZN-24-08L	90	41,9	41,9
ZN-25-04K	43	35,8	35,8
ZN-25-04L	78	35,8	35,8
ZN-26-04K	30	37	37
ZN-26-04L	78	37	37
ZN-26-06K	50	38	38
ZN-26-06L	90	41	41
ZN-27-04K	43	38,3	38,3
ZN-27-04L	78	38,3	38,3
ZN-27-06K	53	40	40
ZN-27-06L	90	43	43
ZN-27-08K	58	41,9	41,9
ZN-27-08L	90	45,6	45,6
ZN-28-04K	48	39,5	39,5
ZN-28-04L	78	39,5	39,5
ZN-28-08K	58	47	47
ZN-28-08L	90	47	47
ZN-29-04K	48	40,8	40,8
ZN-29-04L	78	40,8	40,8
ZN-30-04K	48	42,1	42,1
ZN-30-04L	78	42,1	42,1
ZN-30-06K	53	44	44
ZN-30-06L	90	46	46
ZN-30-08K	60	49,4	49,4
ZN-30-08L	90	49,4	49,4
ZN-31-04K	48	43,3	43,3

Artikel Nr.	Länge	Höhe	Tiefe
ZN-31-04L	78	43,3	43,3
ZN-31-08K	60	50,6	50,6
ZN-31-08L	90	50,6	50,6
ZN-32-04K	48	44,6	44,6
ZN-32-04L	78	44,6	44,6
ZN-32-06K	56	48	48
ZN-32-06L	90	49	49
ZN-32-08K	61	51,9	51,9
ZN-32-08L	90	51,9	51,9
ZN-33-06K	56	48	48
ZN-33-06L	90	51	51
ZN-33-08K	61	53,6	53,6
ZN-33-08L	90	53,6	53,6
ZN-35-08K	61	55,7	55,7
ZN-35-08L	90	55,7	55,7
ZN-36-06K	56	52	52
ZN-36-06L	90	54	54
ZN-36-08K	65	56,9	56,9
ZN-36-08L	90	56,9	56,9
ZN-38-06K	57	56	56
ZN-38-06L	90	56	56
ZN-38-08K	65	59,4	59,4
ZN-38-08L	90	59,4	59,4
ZN-40-06K	57	59	59
ZN-40-06L	90	59	59
ZN-41-06K	57	60,1	60,1
ZN-41-06L	90	60,1	60,1
ZN-41-08K	65	63,1	63,1
ZN-41-08L	90	63,1	63,1
ZN-42-06K	57	61,4	61,4
ZN-42-06L	90	61,4	61,4
ZN-46-06K	62	66,4	66,4
ZN-46-06L	90	66,4	66,4
ZN-46-08K	74	69,4	69,4
ZN-46-08L	100	69,4	69,4
ZN-47-06K	67	67,6	67,6
ZN-47-06L	90	67,6	67,6
ZN-50-06K	72	71,4	71,4
ZN-50-06L	90	71,4	71,4
ZN-50-08K	74	74,4	74,4
ZN-50-08L	100	74,4	74,4
ZN-55-08K	85	80,7	80,7
ZN-55-08L	100	80,7	80,7
ZN-60-08K	89	87,1	87,1



Geräte-Abmessungen

Artikel Nr.	Länge	Höhe	Tiefe
ZN-60-08L	100	87,1	87,1
ZN-A	150	47	130
ZN-A0	58	44	44
ZN-A1	64	44	44
ZN-A2	75	54	54
ZN-A3	90	54	54
ZN-A4	38	25	25
ZN-A5	48	25	25
ZN-A6	36	22	22
ZN-AL	200	45	150
ZN-B	85	30	55
ZN-C	185	40	40
ZN-D	185	40	40
ZN-E	310	50	50
ZN-F	380	60	65
ZN-G	335	77	97
ZN-H	150	47	130
ZN-S15	85	25	25
ZN-S17	85	30	30
ZN-S19	85	30	30
ZN-S21	85	31	31
ZN-S22	85	32	32

